Factors that Influence the Evening of Diabetes Melitus Type II in General Hospitals of Labuang Baji Makassar

by Saskiyanto Manggabarani

Submission date: 12-Apr-2023 10:56PM (UTC-0500) Submission ID: 2063166235 File name: 11.125979288_1.pdf (170.78K) Word count: 2447 Character count: 12628



Factors that Influence the Evening of Diabetes Melitus Type II in General Hospitals of Labuang Baji Makassar

Haslinah Ahmad^{1(IM)}, Juni Andriani Rangkuti¹, and Andi Ernawati²

¹ Universitas Aufa Royhan di Kota Padangsidimpuan, Padang, Indonesia haslinahahmad75@gmail.com

² Yapika Makassar High School of Health, Makassar, Indonesia

Abstract. Diabetes Militus DM was a disorder of metabolism, carbohydrate, protein and fat resulting from an imbalance between the availability of insulin and the need for insulin. The disorder may be absolute insulin deficiency, impaired insulin secretion by pancreatic beta cells, absence of strength or damage to insulin receptors, inactive insulin production and insulin damage before work. Objective of Research Knowing Risk Factors of Type 2 Diabetes Mellitus Incidence in patients at RSUD Labuang Baji Makassar. Design research The type of research conducted was observational research that was by doing observations on the object under study. The observation method used in this research was the control case observation method. The design of this study using case control design, also called retrospective study was an observational analytic epidemiological study that examines the relationship between certain health effects (disease or health condition) with certain risk factors. Total *population* of 45 people, and a sample of 45 respondents. Measuring tool used by questionnaires. The result in SPSS version 1.6 using 2×2 table with *Chi-Square* test with the level of significance table $\alpha = 0.05$. The result of bivariate study of dietary relationship was pvalue = 0,000, physical activity was p value = 0,000 and stress was p value = 0,000 about the incidence of diabetes mellitus type II. The conclusion in this research was the relationship of diet, physical activity, and stress of risk factor incident in RSUD Labuang Baji Makassar.

Keywords: Diet · physical activity · stress

Sengence Cap. 📧

1 Introduction

DM occurs when the insulin produced is not sufficient to maintain blood sugar within normal limits or if the body's cells are unable to respond inappropriately so that the typical complaints of DM will appear in the form of polyuria, oplidipsia, polyphagia, weight loss, weakness, tingling, blurred vision and erectile dysfunction in men and Sp. *(F)* pruritus vulae in women (Soegondo et al. 2009).

Type II diabetes mellitus is diabetes that is not affected by insulin levels. This type of diabetes is more influenced by a person's lifestyle and is a factor that can be changed.

© The Author(s) 2023 S. H. Ritonga et al. (Eds.): TIHC 2022, AHSR 50, pp. 65–72, 2023. https://doi.org/10.2991/978-94-6463-032-9_11

In developed countries, 85% to 95% have type 2 diabetes from the total incidence of diabetes.

The high prevalence of type 2 diabetes mellitus is caused by the interaction between genetic susceptibility factors and exposure to the environment (Mariana, 2012). Previous research has stated that the risk factors for type 2 DM are age, ethnicity, gender, genetics, hypertension, BMI, body fat distribution, diet, physical activity, cholesterol levels, stress (Miharja, 2009; Sudaryanto, 2012); Wang Yet al., 2013; Trisnawati, 2013; Cheema et al., 2014; Toharin, 2015). Missing "," (III)

Makassar City is an area with a fairly high prevalence of diabetes mellitus. Over the past three years, diabetes mellitus has become one of the two diseases with the highest rates. The percentage of diabetes mellitus incidence in 2015 was 20.7%, in 2016 it was 20.6%, and in 2017 it was 9,461. This figure can be seen if the percentage of diabetes decreases every year. Even so, the death rate caused by diabetes mellitus shows an increasing number, namely 180 people in 2015, as many as 237 people in 2016, and lastly increased to 260 in 2017 (Makassar Health Office, 2017).

2 Method

The type of research conducted is observational research, namely by observing the object under study. The observation method used in this study is the case-control observation method. Analysis that examines the relationship between certain effects (diseases or health conditions) with certain risk factors (Sastroasmoro, 2010).

Population and Sample

Population is taking the whole subject/object of research whose quantity is not limited and has certain characteristics to study and then draw conclusions (Hidayat, 2009).

The samples in this study were respondents who were diagnosed with type II diabetes mellitus and underwent examination and hospitalization at the Labuang Baji Hospital Makassar, from September 1, 2020 to October 29, 2020.

Variables and Research Instruments.

In this study, two variables were used: the independent variable (Polamakan, physical activity, and stress) and the dependent variable (the incidence of Type II Diabetes Mellitus). The independent variable data collection uses a questionnaire while the dependent variable uses an observation sheet. This data collection instrument.

In this study, the validity and reliability of the instrument was tested because the questionnaire used was not a standard questionnaire for quantitative data. The data input process uses Epidata software. Data analysis with the help of SPSS software. Data analysis was carried out by filling in the hypothesis (0) using the Chi Square (X^2) formula. To determine the analysis and interpretation of the data on the influence of the dependent variable terhadap variabel independent dengan interpretation of the data berhubungan jika nilai P value < 0,05". (II) Sp. (II) Sp. (II) Sp. (III)

3 Results

Characteristics of respondents (Tables 1, 2, 3, 4, 5, 6 and 7).

Factors that Influence the Evening of Diabetes Melitus Type II

Age	n	%
21-30	6	13,3
31-40	5	11,1
41-50	13	28,9
52-63	13	28,9
64–75	8	17,8
Total	45	100

Table 1.	Distribution of	respondents	based	on age at	Labuang	Baji	Hospital	Makassar

Source: Primary data 2020

Table 2. Distribution of Respondents by Gender in Labuang Baji Hospital Makassar

Gender	n	%
Male	15	33,3
Female	30	67,3
Total	45	100

Source: Primary data 2020

Table 3. Distribution of Respondents Based on Education Level in Labuang Baji Hospital Makassar

Education	n	%
SD	10	22,2
SMP	6	13,3
SMA	24	53,3
Lain-lain	5	11.1
Total	45	100

Source: Primary data 2020

AnalisaUnivariat.

67

Factor <mark>resiko</mark>		n	%
Ya	Sp. 😰	30	66,7
Tidak		15	33,3
Total		45	100

Table 4. Distribution of respondents according to risk factors in Labuang Baji Hospital Makassar

Source: Primary data 2020

Table 5. Distribution of Respondents according to Diet in Labuang Baji Hospital, Makassar

Pola <mark>makan</mark>		n	%
Ya	Sp. 😰	37	82,2
Tidak		18	17,8
Total		45	100

Table 6. Distribution of Respondents by Physical Activity at Labuang Baji Hospital Makassar

Aktivitasfisik	(n)	%
Ya	27	60,0
Tidak	8	40.0
Total	45	100

Article Error 🗃

Table 7. Distribution of Respondents by Stress in Labuang Baji Hospital Makassar

Stress	(n)	%
Ya	33	73,3
Tidak	12	26,7
Total	45	100

Source: Primary data 2020

4 Bivariate Analysis

Factors that Influence the Evening of Diabetes Melitus Type II

Diet	Faktor	r Resiko		Total		P value	
Ya				Tidak		%	
	n	%	N	%			
Baik	25	55,6	5	11,1	30	66,7	0,00
Buruk	0	0,0	15	33,3	15	33,3	
Total	25	55,6	20	44,4	45	100,0	

Table 8. The Influence of Risk Factors Based on Diet in LabuangBaji Hospital Makassar

Source: Primary data 2020

Table 9.	Pengaruh F	⁷ aktorResi	ko Berdasarkan Aktivitasn Fisi	k.Di RSUD Labuang Baji l	Makassar
		Sp. 📧			

Aktivitas Fisik	Faktor	Faktor Resiko				Total					
	Ya		Tidak		Tidak		Tidak		n	%	
	n	%	N	%							
Baik	26	57,8	4	8,9	30	66,7	0,00				
Buruk	4	8,9	11	24,4	15	33,3					
Total	30	66,7	15	33,3	45	100,0					

Source: Primary data 2020

Table 10. Effects of Risk Factors Based on Stress in Labuang Baji Hospital Makassar Article Error

Stres	Faktor R	esiko			Total		P value
Missir	SYa" 🖲		Tidak		n	%	
	Ν	%	Ν	%			
Baik	28	62,3	4	8,9	32	72,2	0,000
Buruk	2 Missi	ng,4" 🕑	11	24,4	13	28,8	
Total	30	66,7	15	33,3	45	100,0	

Source: Primary data 2020

5 Discussion

5.1 Dietary Habit

Excessive calorie intake is the main cause behind the increasing obesity and type 2 diabetes epidemic worldwide, but the quality of the diet also has an independent effect. Excessive consumption of white rice also plays a role in increasing the risk of diabetes mellitus reaching more than 7%. (Farrell, 2008) (Tables 8, 9 and 10).

69

The results of this study indicate that in general, respondents stated a good eating pattern at RSUD LabuangBaji Makassar who answered well as many as 25 (66.7%) and not as many as 5 (11.1%) from a total of 30 respondents who answered Yes respondents. While the respondents' assessment of the risk factors that stated bad was 0 (0.0%) and 15 (33.3%) were stated good from a total of 15 respondents who stated bad. After analyzing the influence between diet and risk factors, with the results Calculation of the Chi-square value with the result p = 0.00 where the level of significance is less than < 0.05, so it can be said that there is an influence between physical activity and risk factors in Labuang Baji Hospital, Makassar.

5.2 Physical Activity

Lack of physical activity causes insulin resistance in type 2 DM (Soegondo, Soewondo and Subekti, 2009). According to the chairman of the Indonesian Diabetes Association (Persadia), Soegondo, that type 2 DM, apart from genetic factors, can also be triggered by the environment causing unhealthy lifestyle changes such as overeating. (fat and lack of fiber), lack of physical activity, stress. Type 2 diabetes can actually be controlled or prevented through a healthy lifestyle, such as a healthy diet and regular physical activity.

The results of this study indicate that in general, respondents stated that physical activity was good at Labuang Baji Hospital Makassar, which answered well as many as 30 (66.7%) and not as many as 15 (33.3%) from a total of 45 respondents. Meanwhile, the respondents' assessment of risk factors which stated that they were good were 30 (66.7%) and 15 (33.3%) of the total 45 respondents stated that they were not.

After analyzing the influence between physical activity and risk factors, the results of the calculation of the Chi-square value with the results of p = 0.00 where the level of significance is less than < 0.05, so it can be said that there is an influence between physical activity and risk factors in LabuangBaji Hospital, Makassar.

5.3 Stress

Stress is any situation where non-specific demands require individuals to respond or take action (Selye, 1976 in Perrypoter, 1997). Stress triggers biochemical reactions through the neural and neuroendocrine systems. The first reaction of the stress response is the occurrence of sympathetic nervous system secretion followed by sympathetic-endrenalmendular secretion, and when stress persists, the hypothalamic-pituitary system is activated (Guyton and Hall, 1996; Smallzer and Bare, 2008).

The results of this study indicate that in general, respondents stated that the stress was good at LabuangBaji Hospital Makassar as many as 32 (72.2%) and bad as many as 13 (28.8%), while the risk factor assessment was Yes as many as 30 (66.7%) and those (a) who stated no were 15 (33, 3%) of 45 total respondents.

After analyzing the influence between stress and risk factors with the Chi square value with the results P = 0.000 where it is said that there is an influence between stress and risk factors in Labuang Baji Hospital Makassar.

6 Conclusions

Based on the results of the research carried out, several things can be opened as follows:

1. There is an influence of diet in the incidence of risk factors in LabuangBaji Hospital Makassar.

2. There is an effect of physical activity on the incidence of risk factors in LabuangBaji Hospital Makassar.

3. There is an influence of stress in the incidence of risk factors in LabuangBaji Hospital Makassar.

Acknowledgements. 1. Thank you to all respondents who helped in this research.

2. To the Director of the LabuangBaji Hospital, Makassar City.

3. To all parties who have assisted in the completion of this research.

References

Alvin C. Power. 2004. Harrison's Prinsiple of Internal Medicine. New York:McGraw-Hill. Bustan, M. N. 2000. Epidemiologi Penyakit Tidak Menular. Jakarta: RinekaCipta.

Daniel W. Foster. 2000. Harrison Prisip-Prinsip Ilmu Penyakit Dalam. Jakarta:EGC

Em Yunir Suharko Soebard. 2006. Buku Ajar Ilmu Penyakit Dalam. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI

Hendro Martono. 2000. Peran Radikal Bebas Terhadap Komplikasi Vaskuler DMTipe 2. volume No 2. Mei 2000. hlm 88–93. Bali: FK UDAYANA.

Imam subekti. 2005. Penatalaksanaan Diabetes Melitus Terpadu. Jakarta: AksaraBuana.

John D. Baxter, dkk. 2002. Endrokinologi Dasar Dan Klinik. Jakarta: EGCLestari Handayani. 2007. Kejadian DM, Perilaku Beresiko dan Kondisi FisiologisPenderita DM Di Indonesia. Volume 14. No 1. Agustus 2020. Jakarta: Universitas Katolik Indonesia Atmajaya.

Lorraine M. Wilson, dkk. 1995. Patofisiologi Proses-Proses Penyakit. Jakarta: EGC

Philip S. Barnett. 2006. Cecil Essential of Medicine. Sixth Edition.

Rita Khairani. 2007. Prevalensi DM dan Hubungannya dengan Kualitas HidupLanjut Usia di Masyarakat. Volume 26. No 1. Agustus-September 2020. hlm 18–25. Jakarta: Universitas Tri Sakti dan Universa Medicina.

Saryono, dkk. 2006. Pemberian Diet Serat Dan Pengaruhnya TerhadapPenurunan Kadar Gula Darah Pada Pasien Dm Di Rsud Margono Soekarjo.

Purwokerto. Purwokerto: Universitas Jendral Sudirman.

Siti Supardiyah Santoso. 2000. Profil Penderita Diabetes Melitus. Volume 27.NO 3 dan 4. 1999/2000. hlm 333-345. Jakarta: Departemen Kesehatan RI.

Slamet Suyono. 1999. Penatalaksanaan Diabetes Melitus Terpadu. Jakarta: Aksara Buana.

Slamet Suyono, dkk. 2006. Buku Ajar Ilmu Penyakit Dalam. Jakarta: PusatPenerbitan Departemen Ilmu Penvakit Dalam FKUI.

Soekidjo Notoatmojo. 2002. Metodologi Penelitian Kesehatan. Jakarta: RinekaCipta. Sudigdo Sastroasmoro. 2002. Dasar-Dasar Metodologi Penelitian Klinis. Jakarta: Sagung Seto. Swa Kurniati. 2004. Pemikiran Praktis Pengelolaan Diabetes Melitus Tipe 2dalam Praktek Sehari-

Hari. Volume 3. No 1. Januari 2004.hlm 29-35.Syafril Syahbudin, dkk. 2004. Pedoman Diet DM. Jakarta: Balai Pustaka.Vitahealth. 2005. Hipertensi. Jakarta: PT. Gramedia.

71

Open Access This chapter is licensed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/), which permits any noncommercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.



Factors that Influence the Evening of Diabetes Melitus Type II in General Hospitals of Labuang Baji Makassar

ORIGINALITY REPORT				
0% SIMILARITY INDEX	0% INTERNET SOURCES	0% PUBLICATIONS	0% STUDENT PAPERS	
PRIMARY SOURCES				
Exclude quotes	Off	Exclude matches	< 99%	

Exclude bibliography Off

Factors that Influence the Evening of Diabetes Melitus Type II in General Hospitals of Labuang Baji Makassar

PAGE 1	
ETS	Article Error You may need to use an article before this word.
ETS,	Article Error You may need to use an article before this word. Consider using the article the .
ETS	Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.
ETS.	Article Error You may need to use an article before this word.
ETS.	Article Error You may need to use an article before this word.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS.	Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.
ETS.	Sentence Cap. Review the rules for capitalization.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS)	Sentence Cap. Review the rules for capitalization.
ETS	P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.
PAGE 2	
ETS,	P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.
ETS.	Missing "," Review the rules for using punctuation marks.
ETS,	Missing "," Review the rules for using punctuation marks.

ETS)	Missing "," Review the rules for using punctuation marks.
ETS)	Article Error You may need to remove this article.
ETS)	Article Error You may need to use an article before this word.
ETS	P/V You have used the passive voice in this sentence. You may want to revise it using the active voice.
ETS,	Prep. You may be using the wrong preposition.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
(ETS)	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
PAGE 3	
PAGE 4	
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS,	Article Error You may need to use an article before this word.
PAGE 5	
(ETS)	Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.
ETS,	Article Error You may need to use an article before this word. Consider using the article the .
ETS.	Missing ","
ETS	Missing ", " Review the rules for using punctuation marks.
ETS,	Missing ", " Review the rules for using punctuation marks.
PAGE 6	

(ETS)	Missing "," Review the rules for using punctuation marks.
ETS	Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.
ETS	Missing ","
ETS	Missing "," Review the rules for using punctuation marks.
ETS,	Proofread This part of the sentence contains an error or misspelling that makes your meaning unclear.
PAGE 7	
ETS	Prep. You may be using the wrong preposition.
PAGE 8	