

# Utilising the CREATE quality appraisal tool to analyse Aboriginal and Torres Strait Islander peoples' involvement and reporting of cancer research in Australia

Mandy Henningham,<sup>1</sup> John Gilroy,<sup>1</sup> Joanna McGlone,<sup>2\*</sup> Drew Meehan,<sup>2</sup> Farhana Nila,<sup>3</sup> Amanda McAtamney,<sup>2</sup> Tanya Buchanan<sup>2</sup>

<sup>1</sup>Charles Perkins Centre and Faculty of Medicine and Health, The University of Sydney, Sydney, NSW, 2006, Australia

<sup>2</sup>Cancer Council Australia, Sydney, NSW, 2000, Australia

<sup>3</sup>Charles Perkins Centre, The University of Sydney, Sydney, NSW, 2006, Australia

Submitted: 25 September 2023; Revision requested: 28 February 2024; Accepted: 1 March 2024

## Abstract

**Objective:** We aimed to evaluate Aboriginal and Torres Strait Islander involvement in research focusing on cancer experiences using an Aboriginal and Torres Strait Islander quality appraisal tool (the QAT).

**Methods:** We conducted a systematic review of the peer-reviewed literature on Aboriginal and Torres Strait Islander peoples' experiences associated with cancer, recently published elsewhere. We then appraised articles for the inclusion of Aboriginal and Torres Strait Islander-led research, community consultation, and involvement.

**Results:** 91 articles were appraised. A lack of Aboriginal and Torres Strait Islander-led research and consultation was reported in the majority of articles, only 10 (11%) demonstrated success across seven (50%) or more questions of the QAT.

**Conclusions:** This review underscores the need for anti-racist research and publication practices that actively engage Aboriginal and Torres Strait Islander peoples and researchers. This approach is vital to enhance cancer outcomes within these communities.

**Implications for public health:** To advance and prioritise appropriate involvement of Aboriginal and Torres Strait Islander peoples in cancer research, the onus must be on 'systems owners,' including academic journals and institutions, to require and report genuine engagement as standard practice. Researchers will produce higher-calibre research with a strengths-based focus, advancing the cause of equitable research.

**Key words:** Aboriginal and Torres Strait Islander, Indigenous, self-determination, quality-appraisal, cancer

## Background

**N**B: This article uses the term 'Aboriginal and Torres Strait Islander peoples.' However, some examined articles use the term 'Aboriginal' or 'Indigenous', which will be maintained if used by the authors.

In Australia, cancer outcomes differ significantly between Aboriginal and Torres Strait Islander and non-Indigenous peoples, with Aboriginal and Torres Strait Islander peoples 14% more likely to be diagnosed with cancer.<sup>1</sup> Aboriginal and Torres Strait Islander peoples also experience increased mortality and poorer cancer outcomes compared to non-Indigenous people.<sup>1</sup> The positive impact of genuinely involving Aboriginal and Torres Strait Islander voices in

research and decision-making is well-established<sup>2</sup>; therefore, research must be conducted with Aboriginal and Torres Strait Islander leadership and involvement and appropriate support from academic journals to enable authors to disclose their cultural affiliations. Community-led approaches to cancer research may improve outputs, such as health promotion activities, advocacy, and preventive care approaches, thereby improving outcomes for Aboriginal and Torres Strait Islander peoples.

The use of culturally appropriate quality appraisal tools (QATs) is an important methodological requirement to assess research in a way that is inclusive of Aboriginal and Torres Strait Islander peoples' culture and values. Most QATs use Western research principles and ideologies to appraise research quality and design and

\*Correspondence to: Joanna McGlone, 320 Pitt Street, Sydney, NSW, 2000, Australia; Tel.: 02 8256 4113; e-mail: [joanna.mcglone@cancer.org.au](mailto:joanna.mcglone@cancer.org.au).

© 2024 The Authors. Published by Elsevier B.V. on behalf of Public Health Association of Australia. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

Aust NZ J Public Health. 2024; Online: <https://doi.org/10.1016/j.anzjph.2024.100142>

do not typically consider the needs of study participants and their communities.<sup>3,4</sup> The Aboriginal and Torres Strait Islander QAT is a culturally appropriate tool that can be used to assess research.<sup>3</sup> An increased use of culturally appropriate QATs could ensure a strengths-based approach is taken, benefitting health outcomes for Aboriginal and Torres Strait Islander peoples.<sup>4</sup>

## Objectives

This review assessed Aboriginal and Torres Strait Islander-led research and consultation in peer-reviewed articles related to cancer experiences using the Aboriginal and Torres Strait Islander QAT, developed by the Centre of Research Excellence in Aboriginal Chronic Disease Knowledge Translation and Exchange (CREATE) Methods Group.<sup>5</sup>

## Materials and methods

In 2020, Cancer Council Australia (CCA) recruited two Aboriginal and Torres Strait Islander researchers (JG and MH) to assist CCA to improve its cultural competency and policy advice relating to cancer in Aboriginal and Torres Strait Islander populations. JG and MH, in partnership with CCA, commenced a systematic review and quality appraisal of existing research regarding Aboriginal and Torres Strait Islander peoples' experiences of cancer. The two key outputs were a systematic review of cancer experiences and supportive care needs using traditional Western methods, published elsewhere,<sup>6</sup> and this evaluation of the quality of research about Aboriginal and Torres Strait Islander cancer experiences.

JG, a Yuin man from the NSW South Coast and Professor of Sociology in Indigenous Health, specialises in disability studies. JG has extensive experience in disability and ageing research and community development with Aboriginal and Torres Strait Islander communities, government, and non-government stakeholders. JG is passionate about Aboriginal-owned and driven research in influencing policy. MH, an Indigenous scholar living on Dharug country in NSW, is a lecturer at the University of Sydney and a dedicated LGBTIQ+ advocate and researcher in sexuality, sexual health, Indigenous studies, intersex studies, youth, and mental health in the Department of Sociology and Social Policy. Both researchers bring a multidisciplinary lens and provide insights into the lived experiences of marginalised populations.

The CCA Cancer Control Policy team (JM, DM, AM and TB) brings a multidisciplinary lens with backgrounds in health care policy development across the cancer continuum.

## Data synthesis and quality

We utilised the QAT to appraise 91 articles from an Aboriginal and Torres Strait Islander-informed perspective. The QAT has been tested for its rigour and cultural veracity,<sup>4</sup> and the questions are informed by Aboriginal and Torres Strait Islander peoples' values and ethics, so research can be appraised through this lens.<sup>4</sup> The questions are answered as "yes", "no", "partially" or "unclear" based on the evidence provided in the article being appraised.<sup>4</sup>

The QAT Companion Document (the Companion Document) was utilised to determine the appropriate response to each question and resolve discrepancies between authors. The Companion Document

includes definitions of key terms used, indicators that would support a 'yes' response, and examples that help support consistency of responses.<sup>4</sup> Half the articles were appraised by the two Aboriginal authors (JG and MH); the other half were independently appraised by two non-Indigenous authors (JM and DM), with discrepancies resolved by discussion. A 'yes' response was given when clear and demonstrable evidence of the article meeting the question's criteria was met. A 'partially' response was given if there was evidence of work towards meeting the criteria and 'unclear' was given when there was insufficient detail provided to assign a definite response. A 'no' response was given when there was no evidence to indicate the criteria had been met or the article did not meet the criteria.

This tool is used to appraise research quality in terms of the values and ethics of working with Aboriginal and Torres Strait Islander communities, such as the National Health and Medical Research Council Aboriginal and Torres Strait Islander research protocols.<sup>3,7</sup> The tool appraises how research was conducted and the levels of participant involvement. Therefore, the aim of this research is to assess the methodological quality of the included articles using an Indigenous epistemology.

## Results

### Characteristics of included articles

Of the 91 articles included, 51 were quantitative, 31 were qualitative, seven were quantitative-descriptive, and two were mixed methods. The detailed characteristics of the articles are in the supplementary material (Table S1). Most qualitative articles explored the perceptions, beliefs, and experiences of Aboriginal and Torres Strait Islander peoples living with cancer, including barriers to accessing care,<sup>8–25</sup> understanding the perspectives of health care providers and care givers,<sup>26–30</sup> and the role of Aboriginal and Torres Strait Islander health care workers in providing culturally appropriate health care.<sup>31–33</sup> Most qualitative articles used in-depth interviews and Yarning methods to collect data, as accepted culturally appropriate and respectful methodologies in Aboriginal and Torres Strait Islander research.<sup>34,35</sup> Of the quantitative articles, five assessed outcomes in children;<sup>36–40</sup> the remainder assessed outcomes in either adults and children or adults alone.<sup>41–86</sup> It was common among quantitative articles to assess survival outcomes and disparities.

### Aboriginal and Torres Strait Islander quality appraisal tool appraisal

No articles met the criteria for all 14 questions in the QAT. Only 10 (11%) articles clearly met the criteria (i.e. sufficient information for a 'yes' response) in seven or more questions. 13 (14%) articles did not meet any of the criteria assessed by the tool. Across the QAT, the most successful responses were seen for the question, "Was community consultation and engagement appropriately inclusive"? 33 articles (36%) provided sufficient information for a "yes" response. For the question "Did the researchers negotiate agreements in regards to rights of access to Aboriginal and Torres Strait Islander peoples' existing intellectual and cultural property"? no articles met the criteria for a "yes" response. 19 (21%) and 23 (25%) articles demonstrated Aboriginal and Torres Strait Islander research leadership and governance, respectively. However, only 16 (18%) articles were

recorded as responding to a need or priority that was determined by the community.

Study design influenced how closely the articles met the criteria, with qualitative studies being more likely to meet the QAT criteria than quantitative and quantitative descriptive designs. Nine (29%) qualitative articles had sufficient evidence to demonstrate that they met the criteria in 50% or more of the QAT questions, compared with one article (2%) with a quantitative and quantitative descriptive design. There were two mixed-methods articles; one did not demonstrate success across any of the 14 questions, and the other demonstrated success across only four of the QAT questions.

We also analysed the results of the QAT by year of publication to determine whether the publication date had a substantial impact on research practice in the past two decades and levels of success after the tool was developed. These results are provided in Table 1.

There was no significant increase in articles achieving success in seven or more QAT criteria in the more recent years of publication, and the range that achieved the highest levels of 'yes' was between 2005 and 2009.

The detailed responses to all Aboriginal and Torres Strait Islander QAT questions can be found in the supplementary material (Table S2) and an overview of the responses is provided in Table 2.

## Discussion

To our knowledge, this study is the first to apply an Indigenous lens to the appraisal of research on Aboriginal and Torres Strait Islander cancer outcomes and experiences. The use of the QAT provides a unique and comprehensive appraisal of research on cancer experiences among Aboriginal and Torres Strait Islander peoples.

This review demonstrated the lack of transparency and proactive approach to appropriately engaging Aboriginal and Torres Strait Islander peoples in research. The appraisal showed an extremely low number of positive responses across all 14 criteria of the QAT. Only 11% of articles met the criteria in at least half of the questions. This clearly demonstrates that across all included articles, there is a lack of partnership with and guidance from Aboriginal and Torres Strait Islander participants in research conducted about them, and where it has taken place, there is limited or no capacity for authors to report this in the subsequent publications.

Research should be conducted such that articles are appraised on their ability to meet the QAT criteria, and journals enable authors to report this information. The QAT questions provide a multi-faceted view of the key issues within research conducted with and about Aboriginal and Torres Strait Islander peoples. The lack of positive

responses strongly suggests that research about Aboriginal and Torres Strait Islander communities is regularly being conducted with little to no engagement. One of the reasons for the development of the QAT was the "history of colonisation of Aboriginal and Torres Strait Islander peoples",<sup>4</sup> resulting in researchers treating participants as research objects<sup>4</sup> rather than working collaboratively. Further, the results of the QAT reveal a distinct lack of articles including Aboriginal and Torres Strait Islander governance. Many articles did identify a key enabler for Aboriginal and Torres Strait Islander peoples' participation in health and treatment services was receiving care that respects their understanding of cancer and acknowledging the importance of family, community and staying connected to country.<sup>14,67,74,84</sup> Of the 91 included articles, none demonstrated success in all 14 QAT criteria, indicating that cancer research requires greater involvement of Aboriginal and Torres Strait Islander researchers and participants and utilising a decolonised research methodology that accounts for Aboriginal and Torres Strait Islander ways of knowing, being, and doing and adopts a clear anti-racist approach.<sup>87</sup> Additionally, none of the articles did or could demonstrate that researchers had negotiated agreements for rights of access to Aboriginal and Torres Strait Islander peoples' existing intellectual and cultural property,<sup>4</sup> highlighting how participants are frequently not viewed or considered as research collaborators with the right to own their work.

It is important to note that while only 19 of the 91 articles appraised were listed as having Aboriginal and Torres Strait Islander leadership, at least 37 had an Aboriginal or Torres Strait Islander author that wasn't identified. While it is promising to see Aboriginal and Torres Strait Islander authorship included in research, it is disappointing that the journal didn't provide an opportunity to declare cultural affiliations. The reader should not need in-depth knowledge of Aboriginal and Torres Strait Islander authors to identify whether appropriate leadership and authorship are included in research. This information should be provided and clearly highlighted by the publishing journals.

The QAT was not published until 2020, so the majority (n=79) of included articles were published prior to its release. Our analysis revealed only 8.86% of articles published prior to the QAT received a 'yes' response in  $\geq 50\%$  of the criteria, as opposed to 16.67% of articles published after its release, although with a smaller sample size (n=12). Articles published prior to the QAT may not have had the ability to report Aboriginal and Torres Strait Islander leadership and involvement, even if it occurred in the research. There is a need for improvement in the articles published after the QAT, as the low success rate demonstrates further work is needed to ensure genuine involvement with Aboriginal and Torres Strait Islander peoples and reporting in publications.

## Implications for public health

This review highlights that more needs to be done in cancer research to achieve true partnership with Aboriginal and Torres Strait Islander communities and researchers. This would build robust and culturally sensitive research, which is likely to improve cancer outcomes. Research with Aboriginal and Torres Strait Islander leadership and governance helps ensure a strengths-based approach to research is being undertaken.

Journals have a critical role to play by embedding in standard practice research leadership, governance, and consultations conducted in

Table 1: The QAT results by year of publication.

| Publication range    | Number of articles | Articles with 'yes' $\geq 7$ (%) |
|----------------------|--------------------|----------------------------------|
| 2000-2004            | 4                  | 0                                |
| 2005-2009            | 11                 | 27.27                            |
| 2010-2014            | 19                 | 5.26                             |
| 2015-2019            | 39                 | 7.69                             |
| 2020-2022            | 18                 | 16.67                            |
| Pre-QAT (2000-2020)  | 79                 | 8.86                             |
| Post-QAT (2021-2022) | 12                 | 16.67                            |

QAT, quality appraisal tool.

Table 2: The QAT criteria and articles recorded as “Yes”.

| QAT Question   | Total articles<br>n=91 (%) | Qualitative articles<br>n=31 (%) | Quantitative articles<br>n=51 (%) | Quantitative descriptive articles<br>n=7 (%) | Mixed methods articles<br>n=2 (%) |
|--|----------------------------|----------------------------------|-----------------------------------|--|-----------------------------------|
| Did the research respond to a need or priority determined by the community?  | 16 (18%)                   | 8 (26%)                          | 7 (14%)                           | 1 (14%)                                      | 0 (0%)                            |
| Was community consultation and engagement appropriately inclusive?   | 33 (36%)                   | 18 (58%)                         | 14 (27%)                          | 0 (0%)                                       | 1 (50%)                           |
| Did the research have Aboriginal and Torres Strait Islander research leadership?   | 19 (21%)                   | 13 (42%)                         | 5 (10%)                           | 0 (0%)                                       | 1 (50%)                           |
| Did the research have Aboriginal and Torres Strait Islander governance?  | 23 (25%)                   | 15 (48%)                         | 7 (14%)                           | 0 (0%)                                       | 1 (50%)                           |
| Were local community protocols respected and followed?   | 24 (26%)                   | 19 (61%)                         | 3 (6%)                            | 1 (14%)                                      | 1 (50%)                           |
| Did the researchers negotiate agreements in regards to rights of access to Aboriginal and Torres Strait Islander peoples' existing intellectual and cultural property?           | 0 (0%)                     | 0 (0%)                           | 0 (0%)                            | 0 (0%)                                       | 0 (0%)                            |
| Did the researchers negotiate agreements to protect Aboriginal and Torres Strait Islander peoples' ownership of intellectual and cultural property created through the research? | 4 (4%)                     | 3 (10%)                          | 0 (0%)                            | 1 (14%)                                      | 0 (0%)                            |
| Did Aboriginal and Torres Strait Islander peoples and communities have control over the collection and management of research materials?   | 18 (20%)                   | 15 (48%)                         | 3 (6%)                            | 0 (0%)                                       | 0 (0%)                            |
| Was the research guided by an Indigenous research paradigm?  | 20 (22%)                   | 20 (65%)                         | 0 (0%)                            | 0 (0%)                                       | 0 (0%)                            |
| Does the research take a strengths-based approach, acknowledging and moving beyond practices that have harmed Aboriginal and Torres Strait peoples in the past?                  | 12 (13%)                   | 8 (26%)                          | 3 (6%)                            | 1 (14%)                                      | 0 (0%)                            |
| Did the researchers plan and translate the findings into sustainable changes in policy and/or practice?  | 6 (7%)                     | 3 (10%)                          | 3 (6%)                            | 0 (0%)                                       | 0 (0%)                            |
| Did the research benefit the participants and Aboriginal and Torres Strait Islander communities?   | 8 (9%)                     | 6 (19%)                          | 2 (4%)                            | 0 (0%)                                       | 0 (0%)                            |
| Did the research demonstrate capacity strengthening for Aboriginal and Torres Strait Islander individuals?   | 15 (16%)                   | 12 (39%)                         | 3 (6%)                            | 0 (0%)                                       | 0 (0%)                            |
| Did everyone involved in the research have opportunities to learn from each other?   | 16 (18%)                   | 12 (39%)                         | 4 (8%)                            | 0 (0%)                                       | 0 (0%)                            |

QAT, quality appraisal tool.

Aboriginal and Torres Strait Islander communities and providing opportunities for author declarations of their Indigenous status and other relevant information. Universities could facilitate meaningful relationships between researchers and Aboriginal and Torres Strait Islander communities, as trust and partnership are critical for meaningful research but are hindered by pressure on researchers to produce outputs.<sup>88</sup> Universities must therefore work to ‘appropriately value’ this foundational, relationship-building work.<sup>88</sup> It is also critical that both universities and journals work to value the processes that allow culturally safe research to be completed, rather than Western metrics of success viewed from a colonial perspective.<sup>88</sup>

There is clear interest from authors and researchers for journals to provide a framework for culturally appropriate research and Indigenous authorship declarations, as evidenced in the recent call for action in *Tobacco Control* for a publication protocol that upholds ethical research.<sup>89</sup>

## Strengths and limitations

The large number of included articles provided a strong base for appraisal using the QAT across a variety of research designs and cancer types.

Whilst this is a review and does not fit the criteria to be assessed by the QAT, we considered how we could align with the criteria, so if it were considered for appraisal, it would be assessed favourably. Our two lead authors are both Aboriginal individuals, providing leadership to ensure the review was conducted through a culturally safe lens. We also ensured clear acknowledgement of the cultural affiliations of the Aboriginal authors, in recognition of the importance of providing space for Aboriginal and Torres Strait Islander researchers to share and acknowledge their culture.

A limitation of this review is the unintended consequences of comparing success in the QAT across study types. For example, the results revealed that qualitative papers were more likely to provide information to achieve a ‘yes’ response. However, we note that qualitative studies have less restrictive word counts, and these nuances between study types should be considered when interpreting the results of the QAT. Further to this, not every question of the QAT is relevant for some study types, and these articles should not be penalised as a result. For example, local community protocols may be less achievable for secondary data analysis, and research translation may fall outside of the scope of a single paper.

Challenges were found in ascertaining the exact level of Aboriginal and Torres Strait Islander involvement and consultation in the articles

due to constraints or restrictions in the publishing journals. Whilst researchers are ultimately responsible for their article, it is important to acknowledge pressures from external sources to exclude design elements or methodological choices in a publication. This is a systemic issue that needs to be addressed from multiple avenues.<sup>90</sup> As such, we know that the level of consultation and engagement with Aboriginal and Torres Strait Islander communities may be higher than indicated in these articles, but it has not been reflected within the methodology. However, due to lobbying from Aboriginal and Torres Strait Islander researchers, the editorial teams of prestigious journals are now working to address this constraint. For example, the *Medical Journal of Australia* has introduced plans to increase the presence of Indigenous voices.<sup>91</sup> Similarly, a joint statement by editors of *Rural and Remote Health*, the *Australian Journal of Rural Health*, and the *Canadian Journal of Rural Medicine* has suggested their publications explicitly recognise the contributions of Indigenous researchers to research about Indigenous peoples.<sup>92</sup>

## Conclusions

This systematic review highlighted the challenges that currently exist in research conducted about and with Aboriginal and Torres Strait Islander peoples affected by cancer. Research about Aboriginal and Torres Strait Islander peoples' experiences with cancer is often conducted without appropriate consultation and involvement. Furthermore, for articles where culturally safe Aboriginal and Torres Strait Islander-led research has been conducted, there are limited opportunities for authors to declare their cultural affiliations. Several articles were unable to demonstrate success in addressing the questions in the Aboriginal and Torres Strait Islander QAT, highlighting that the lack of involvement of Aboriginal and Torres Strait Islander peoples in research is a far-reaching issue. Cancer research that aligns to the QAT will ensure higher-quality, culturally safe research. Authors should be more cognisant to develop research that aligns with the criteria, with greater consideration of the consultation and involvement of Aboriginal and Torres Strait Islander peoples and consideration of the benefits to their communities. Journals can facilitate this process by prioritising the publication of well-designed Aboriginal and Torres Strait Islander-led cancer research and creating opportunities for researchers to clearly state their Aboriginal and Torres Strait Islander status.

## Funding

This review was funded by Cancer Council Australia.

## Ethics approval and consent to participate

Not applicable.

## Authors' contributions

Conceptualisation, JG, MH, and MV.; Methodology, MH and JG.; Software, FN.; Validation, MH, JG, FN, JM, and DM.; Formal Analysis, MH, JG, FN, JM and DM.; Investigation, X.X.; Data Curation, MH, FN, and JM.; Writing – Original Draft Preparation, MH, JM and FN.; Writing – Review & Editing, MG, JG, JM, DM, AM, TB and MV.; Supervision, MH, JG, MV.; Project Administration, JM.; Funding Acquisition, MV.

## Consent for publication

Not applicable.

## Availability of data and materials

All data analysed during this study have been included in the published article and in the supplementary files.

## Acknowledgements

Special thanks to Kanchana Ekanayake, Academic Liaison Librarian at the University of Sydney Library, for her invaluable assistance in designing and conducting the literature searches. Mandy Henningham is an Aboriginal woman who has always lived on Dharug country. John Gilroy is a Yuin man from the NSW South Coast.

## Author ORCIDs

Mandy Henningham  <https://orcid.org/0000-0002-0080-4370>

Drew Meehan  <https://orcid.org/0000-0003-4768-0122>

Farhana Nila  <https://orcid.org/0009-0003-7040-5214>

Tanya Buchanan  <https://orcid.org/0000-0003-3698-9351>

## Conflicts of interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## References

1. Australian Institute of Health and Welfare. *Cancer in Australia 2021*. 2021. Canberra (AU).
2. Lowitja Institute. *Transforming power: voices for generational change*. 2022. Melbourne (AU).
3. Harfield S, Pearson O, Morey K, Kite E, Canuto K, Glover K, et al. Assessing the quality of health research from an Indigenous perspective: the Aboriginal and Torres Strait Islander quality appraisal tool. *BMC Med Res Methodol* 2020;20:1–9.
4. Harfield S, Pearson O, Morey K, Kite E, Glover K, Canuto K, et al. *The Aboriginal and Torres Strait Islander quality appraisal tool: companion document*. Adelaide, Australia: South Australian Health and Medical Research Institute; 2018.
5. The Centre of Research Excellence in Aboriginal Chronic Disease Knowledge Translation and Exchange. *CREATE critical appraisal tool* [Available from: <https://create.sahmri.org/create-critical-appraisal-tool/>]; 2020.
6. Gilroy J, Henningham M, Meehan D, Nila F, McGlone J, McAtamney A, et al. Systematic review of Aboriginal and Torres Strait Islander peoples' experiences and supportive care needs associated with cancer. *BMC Publ Health* 2024;24(1).
7. National Health, Medical Research Council. *Ethical conduct in research with Aboriginal and Torres Strait Islander peoples and communities: guidelines for researchers and stakeholders*. 2018. Canberra (AU).
8. Dembinsky M. Exploring Yamatji perceptions and use of palliative care: an ethnographic study. *Int J Palliat Nurs* 2014;20(8):387–93.
9. Gonzalez T, Harris R, Williams R, Wadwell R, Barlow-Stewart K, Fleming J, et al. Exploring the barriers preventing Indigenous Australians from accessing cancer genetic counseling. *J Genet Counsel* 2020;29(4):542–52.
10. Lyford M, Haigh MM, Baxi S, Cheetham S, Shaouli S, Thompson SC. An exploration of underrepresentation of Aboriginal cancer patients attending a regional radiotherapy service in Western Australia. *Int J Environ Res Publ Health* 2018; 15(2):337.
11. Marcusson-Rababi B, Anderson K, Whop LJ, Butler T, Whitson N, Garvey G. Does gynaecological cancer care meet the needs of Indigenous Australian women? Qualitative interviews with patients and care providers. *BMC Health Serv Res* 2019;19(1) [N.PAG-N.PAG].
12. McGrath P, Holewa H, Ogilvie K, Rayner R, Patton MA. Insights on Aboriginal peoples' views of cancer in Australia. *Contemp Nurse: A Journal for the Australian Nursing Profession* 2006;22(2):240–54.
13. Newman CE, Gray R, Brener L, Jackson LC, Dillon A, Saunders V, et al. "I had a little bit of a bloke meltdown...But the next day, I was up": understanding cancer experiences among Aboriginal men. *Cancer Nurs* 2017;40(3):E1–8.
14. Prior D. The meaning of cancer for Australian Aboriginal women; changing the focus of cancer nursing. *Eur J Oncol Nurs* 2009;13(4):280–6.
15. Risteviski E, Thompson S, Kingaby S, Nightingale C, Iddawela M. Understanding Aboriginal peoples' cultural and family connections can help inform the



- development of culturally appropriate cancer survivorship models of care. *JCO Global Oncology* 2020;6:124–32.
16. Shahid S, Finn L, Bessarab D, Thompson S. 'Nowhere to room . . . nobody told them': logistical and cultural impediments to Aboriginal peoples' participation in cancer treatment. *Aust Health Rev* 2011;35(2):235–41.
  17. Shahid S, Durey A, Bessarab D, Aoun SM, Thompson SC. Identifying barriers and improving communication between cancer service providers and Aboriginal patients and their families: the perspective of service providers. *BMC Health Serv Res* 2013;13(1):460.
  18. Shahid S, Finn L, Bessarab D, Thompson SC, Shahid S, Finn L, et al. Understanding, beliefs and perspectives of Aboriginal people in Western Australia about cancer and its impact on access to cancer services. *BMC Health Serv Res* 2009;9:132.
  19. Shahid S, Finn LD, Thompson SC, Shahid S, Finn LD, Thompson SC. Barriers to participation of Aboriginal people in cancer care: communication in the hospital setting. *Med J Aust* 2009;190(10):574–9.
  20. Shahid S, Teng THK, Bessarab D, Aoun S, Baxi S, Thompson SC. Factors contributing to delayed diagnosis of cancer among Aboriginal people in Australia: a qualitative study. *BMJ Open* 2016;6(6):11.
  21. Tam L, Garvey G, Meiklejohn J, Martin J, Adams J, Walpole E, et al. Exploring positive survivorship experiences of Indigenous Australian cancer patients. *Int J Environ Res Publ Health* 2018;15(1):135.
  22. Taylor EV, Lyford M, Holloway M, Parsons L, Mason T, Sabesan S, et al. "The support has been brilliant": experiences of Aboriginal and Torres Strait Islander patients attending two high performing cancer services. *BMC Health Serv Res* 2021;21(1):1–15.
  23. Thompson S, Lyford M, Papertalk L, Holloway M. Passing on wisdom: exploring the end-of-life wishes of Aboriginal people from the Midwest of western Australia. *Rural Rem Health* 2019;19(4):9.
  24. Thompson SC, Shahid S, Bessarab D, Durey A, Davidson PM. Not just bricks and mortar: planning hospital cancer services for Aboriginal people. *BMC Res Notes* 2011;4:62.
  25. Willis E, Dwyer J, Owada K, Couzner L, King D, Wainer J. Indigenous women's expectations of clinical care during treatment for a gynaecological cancer: rural and remote differences in expectations. *Aust Health Rev* 2011;35(1):99–103.
  26. Bell L, Anderson K, Girgis A, Aoun S, Cunningham J, Wakefield CE, et al. "We have to Be strong ourselves": exploring the support needs of informal carers of Aboriginal and Torres Strait Islander people with cancer. *Int J Environ Res Publ Health* 2021;18(14):7281.
  27. Cuesta-Briand B, Bessarab D, Shaouli S, Thompson SC. Addressing unresolved tensions to build effective partnerships: lessons from an Aboriginal cancer support network. *Int J Equity Health* 2015;14.
  28. de Witt A, Cunningham FC, Baillie R, Percival N, Adams J, Valery PC. "It's just presence," the contributions of Aboriginal and Torres Strait Islander health professionals in cancer care in Queensland. *Front Public Health* 2018;6:344.
  29. de Witt A, Matthews V, Baillie R, Garvey G, Valery PC, Adams J, et al. Communication, collaboration and care coordination: the three-point guide to cancer care provision for Aboriginal and Torres Strait Islander Australians. *Int J Integrated Care* 2020;20(2):1–16.
  30. Meiklejohn JA, Adams J, Valery PC, Walpole ET, Martin JH, Williams HM, et al. Health professional's perspectives of the barriers and enablers to cancer care for Indigenous Australians. *Eur J Cancer Care* 2016;25(2):254–61.
  31. Finn LD, Pepper A, Gregory P, Thompson SC. Improving Indigenous access to cancer screening and treatment services: descriptive findings and a preliminary report on the Midwest Indigenous Women's Cancer Support Group. *Australas Med J* 2008;1(2).
  32. Ivers R, Jackson B, Levett T, Wallace K, Winch S. Home to health care to hospital: evaluation of a cancer care team based in Australian Aboriginal primary care. *Aust J Rural Health* 2019;27(1):88–92.
  33. Olver I, Gunn KM, Chong A, Knott V, Spronk K, Nayia C, et al. Communicating cancer and its treatment to Australian Aboriginal and Torres Strait Islander patients with cancer: a qualitative study. *Support Care Cancer* 2022;30(1):431–8.
  34. Walker M, Fredericks B, Mills K, Anderson D. "Yarning" as a method for community-based health research with indigenous women: the indigenous women's wellness research program. *Health Care Women Int* 2014;35(10):1216–26.
  35. Bessarab D, Ng'andu B. Yarning about yarning as a legitimate method in indigenous research. *Int J Criti Ind Stud* 2010;3(1):37–50.
  36. Jessop S, Ruhayel S, Sutton R, Youlden DR, Pearson G, Lu C, et al. Are outcomes for childhood leukaemia in Australia influenced by geographical remoteness and Indigenous race? *Pediatr Blood Cancer* 2021;68(4):8.
  37. Rotte L, Hansford J, Kirby M, Osborn M, Suppiah R, Ritchie P, et al. Cancer in Australian aboriginal children: room for improvement. *J Paediatr Child Health* 2013;49(1):27–32.
  38. Valery PC, Youlden DR, Baade PD, Ward LJ, Green AC, Aitken JF. Cancer incidence and mortality in Indigenous Australian children, 1997–2008. *Pediatr Blood Cancer* 2013;60(1):156–8.
  39. Valery PC, Youlden DR, Baade PD, Ward LJ, Green AC, Aitken JF. Cancer survival in Indigenous and non-Indigenous Australian children: what is the difference? *Cancer Causes Control* 2013;24(12):2099–106.
  40. Youlden DR, Baade PD, McBride CA, Pole JD, Moore AS, Valery PC, et al. 1. Changes in cancer incidence and survival among Aboriginal and Torres Strait Islander children in Australia, 1997–2016. *Pediatr Blood Cancer* 2022;69(4):1–11.
  41. Tan JY, Otty ZA, Vangaveti VN, Buttner P, Varma SC, Joshi AJ, et al. A prospective comparison of times to presentation and treatment of regional and remote head and neck patients in North Queensland, Australia. *Intern Med J* 2016;46(8):917–24.
  42. Moore SP, Green AC, Garvey G, Coory MD, Valery PC. A study of head and neck cancer treatment and survival among Indigenous and non-Indigenous people in Queensland, Australia, 1998 to 2004. *BMC Cancer* 2011;11(1):460.
  43. Ho-Huynh AHN, Elston TJ, Gunnarsson RK, De Costa A. Achieving high breast cancer survival for women in rural and remote areas. *Asian Pac J Cancer Prev APJCP* 2022;23(1):101–7.
  44. Tervonen HE, Walton R, You H, Baker D, Roder D, Currow D, et al. After accounting for competing causes of death and more advanced stage, do Aboriginal and Torres Strait Islander peoples with cancer still have worse survival? A population-based cohort study in New South Wales. *BMC Cancer* 2017;17.
  45. Gibberd A, Supramaniam R, Dillon A, Armstrong BK, O'Connell DL. Are Aboriginal people more likely to be diagnosed with more advanced cancer? *Med J Aust* 2015;202(4):195–200.
  46. Martin JH, Coory MD, Valery PC, Green AC. Association of diabetes with survival among cohorts of Indigenous and non-Indigenous Australians with cancer. *Cancer Causes Control* 2009;20(3):355–60.
  47. Moore SP, Soerjomataram I, Green AC, Garvey G, Martin J, Valery PC. Breast cancer diagnosis, patterns of care and burden of disease in Queensland, Australia (1998–2004): does being Indigenous make a difference? *Int J Publ Health* 2016;61(4):435–42.
  48. Roder D, Webster F, Zorbas H, Sinclair S. Breast screening and breast cancer survival in Aboriginal and Torres Strait Islander women of Australia. *Asian Pac J Cancer Prev APJCP : Asian Pac J Cancer Prev APJCP* 2012;13(1):147–55.
  49. Valery PC, Coory M, Stirling J, Green AC. Cancer diagnosis, treatment, and survival in Indigenous and non-Indigenous Australians: a matched cohort study. *Lancet* 2006;367(9525):1842–8.
  50. Condon JR, Armstrong BK, Barnes T, Zhao YJ. Cancer incidence and survival for Indigenous Australians in the northern territory. *Aust N Z J Publ Health* 2005;29(2):123–8.
  51. Banham D, Roder D, Eckert M, Howard NJ, Canuto K, Brown A, et al. Cancer treatment and the risk of cancer death among Aboriginal and non-Aboriginal South Australians: analysis of a matched cohort study. *BMC Health Serv Res* 2019;19(1):771.
  52. Banham D, Roder D, Brown A. Comorbidities contribute to the risk of cancer death among Aboriginal and non-Aboriginal South Australians: analysis of a matched cohort study. *Cancer Epidemiology* 2018;52:75–82.
  53. Diaz A, Baade PD, Valery PC, Whop LJ, Moore SP, Cunningham J, et al. Comorbidity and cervical cancer survival of Indigenous and non-Indigenous Australian women: a semi-national registry-based cohort study (2003–2012). *PLoS ONE [Electronic Resource]* 2018;13(5).
  54. Tomita Y, Karapetis CS, Roder D, Beeke C, Hocking C, Roy AC, et al. Comparable survival outcome of metastatic colorectal cancer in Indigenous and non-Indigenous patients: retrospective analysis of the South Australian metastatic colorectal cancer registry. *Aust J Rural Health* 2016;24(2):85–91.
  55. Cottrell J, Street J, Chong A, Roder D. Comparing cancer profiles and survival of Aboriginal and non-Aboriginal patients in South Australia: where are the opportunities for improving Aboriginal health? *Asian Pac J Cancer Prev APJCP : APJCP*. 2007;8(4):495–501.
  56. Weir K, Supramaniam R, Gibberd A, Dillon A, Armstrong BK, O'Connell DL. Comparing colorectal cancer treatment and survival for Aboriginal and non-Aboriginal people in New South Wales. *Med J Aust* 2016;204(4):156. e1–e8.
  57. Slape DR, Saunderson RB, Tatian AH, Forstner DF, Estall VJ. Cutaneous malignancies in indigenous peoples of urban Sydney. *Journal of Medical Imaging and Radiation Oncology* 2019;63(2):244–9.
  58. Woods JA, Johnson CE, Ngo HT, Katzenellenbogen JM, Murray K, Thompson SC. Delay in commencement of palliative care service episodes provided to Indigenous and non-Indigenous patients: cross-sectional analysis of an Australian multi-jurisdictional dataset. *BMC Palliat Care* 2018;17:11.
  59. Pule L, Buckley E, Niyonsenga T, Banham D, Roder D. Developing a comorbidity index for comparing cancer outcomes in Aboriginal and non-Aboriginal Australians. *BMC Health Serv Res* 2018;18(1) [N.PAG-N.PAG].
  60. Tervonen HE, Aranda S, Roder D, Walton R, Baker D, You H, et al. Differences in impact of Aboriginal and Torres Strait Islander status on cancer stage and survival by level of socio-economic disadvantage and remoteness of residence-A population-based cohort study in Australia. *Cancer Epidemiology* 2016;41:132–8.
  61. Bernardes CM, Langbecker D, Beesley V, Garvey G, Valery PC. Does social support reduce distress and worry among Aboriginal and Torres Strait Islander people with cancer? *Cancer Reports* 2019;2(4).
  62. Luke K, Tracey E, Stapleton A, Roder D. Exploring contrary trends in bladder cancer incidence, mortality and survival: implications for research and cancer control. *Intern Med J* 2010;40(5):357–62.
  63. Diaz A, Moore SP, Martin JH, Green AC, Garvey G, Valery PC. Factors associated with cancer-specific and overall survival among Indigenous and non-Indigenous

- gynecologic cancer patients in Queensland, Australia: a matched cohort study. *Int J Gynecol Cancer* 2015;**25**(3):542–7.
64. Garvey G, Cunningham J, He VY, Janda M, Baade P, Sabesan S, et al. Health-related quality of life among Indigenous Australians diagnosed with cancer. *Qual Life Res* 2016;**25**(8):1999–2008.
  65. Parker C, Tong SYC, Dempsey K, Condon J, Sharma SK, Chen JWC, et al. Hepatocellular carcinoma in Australia's Northern Territory: high incidence and poor outcome. *Med J Aust* 2014;**201**(8):470–4.
  66. Supramaniam R, Gibberd A, Dillon A, Goldsbury DE, O'Connell DL. Increasing rates of surgical treatment and preventing comorbidities may increase breast cancer survival for Aboriginal women. *BMC Cancer* 2014;**14**(1):163.
  67. Gibberd A, Supramaniam R, Dillon A, Armstrong BK, O'Connell DL. Lung cancer treatment and mortality for Aboriginal people in New South Wales, Australia: results from a population-based record linkage study and medical record audit. *BMC Cancer* 2016;**16**:1–11.
  68. Fitzadam S, Lin EM, Creighton N, Currow DC. Lung, breast and bowel cancer treatment for Aboriginal people in New South Wales: a population-based cohort study. *Intern Med J* 2021;**51**(6):879–90.
  69. Carruthers S, Pennefather M, Ward L, Giam K, Penniment M. Measuring (and narrowing) the gap: the experience with attendance of Indigenous cancer patients for Radiation Therapy in the Northern Territory. *Journal of medical imaging and radiation oncology* 2019;**63**(4):510–6.
  70. Frydrych AM, Slack-Smith LM, Parsons R, Threlfall T. Oral cavity squamous cell carcinoma: characteristics and survival in Aboriginal and non-Aboriginal Western Australians. *Open Dent J* 2014;**8**:168–74.
  71. Laurvick CL, Semmens JB, Holman DJ, Leung YC. Ovarian cancer in Western Australia (1982–98): incidence, mortality and survival. *Aust N Z J Publ Health* 2003;**27**(6):588–95.
  72. Rodger JC, Supramaniam R, Gibberd AJ, Smith DP, Armstrong BK, Dillon A, et al. Prostate cancer mortality outcomes and patterns of primary treatment for Aboriginal men in New South Wales, Australia. *BJU Int* 2015;**115**(S5):16–23.
  73. Elder-Robinson E, Diaz A, Howard K, Parikh DR, Kar G, Garvey G. Quality of life in the first year of cancer diagnosis among Aboriginal and non-Aboriginal people living in regional and remote areas of Australia. *Int J Environ Res Publ Health* 2022;**19**(1):10.
  74. Baade PD, Dasgupta P, Dickman PW, Cramb S, Williamson JD, Condon JR, et al. Quantifying the changes in survival inequality for Indigenous people diagnosed with cancer in Queensland, Australia. *Cancer Epidemiology* 2016;**43**:1–8.
  75. Le H, Penniment M, Carruthers S, Roos D, Sullivan T, Baxi S. Radiation treatment compliance in the Indigenous population: the pilot Northern Territory experience and future directions. *J Med Imaging & Radiation Oncol* 2013;**57**(2):218–21.
  76. Shaw IM, Elston TJ. Retrospective, 5-year surgical audit comparing breast cancer in Indigenous and non-Indigenous women in Far North Queensland. *ANZ J Surg* 2003;**73**(9):758–60.
  77. Condon JR, Barnes T, Armstrong BK, Selva-Nayagam S, Elwood JM. Stage at diagnosis and cancer survival for indigenous Australians in the northern territory. *Med J Aust* 2005;**182**(6):277–80.
  78. Diaz A, Bernardes CM, Garvey G, Valery PC. Supportive care needs among Indigenous cancer patients in Queensland, Australia: less comorbidity is associated with greater practical and cultural unmet need. *Eur J Cancer Care* 2016;**25**(2):242–53.
  79. Yang P, Baade P. Survival disparities among recently diagnosed Aboriginal and Torres Strait Islander cancer patients in Australia remain. *Cancer Causes Control* 2021;**32**(11):1315–20.
  80. Moore SP, Green AC, Bray F, Garvey G, Coory M, Martin J, et al. Survival disparities in Australia: an analysis of patterns of care and comorbidities among indigenous and non-indigenous cancer patients. *BMC Cancer* 2014;**14**(1):517.
  81. Coory MD, Green AC, Stirling J, Valery PC. Survival of Indigenous and non-Indigenous Queenslanders after a diagnosis of lung cancer: a matched cohort study. *Med J Aust* 2008;**188**(10):562–6.
  82. Whop LJ, Baade PD, Brotherton JML, Canfell K, Cunningham J, Gertig D, et al. Time to clinical investigation for Indigenous and non-Indigenous Queensland women after a high grade abnormal pap smear, 2000–2009. *Med J Aust* 2017;**206**(2):73–7.
  83. Basnayake TL, Valery PC, Carson P, De Ieso PB. Treatment and outcomes for indigenous and non-indigenous lung cancer patients in the top end of the northern territory. *Intern Med J* 2021;**51**(7):1081–91.
  84. Hall SE, Bulsara CE, Bulsara MK, Leahy TG, Culbong MR, Hendrie D, et al. Treatment patterns for cancer in Western Australia: does being Indigenous make a difference? *Med J Aust* 2004;**181**(4):191–4.
  85. Bernardes CM, Diaz A, Valery PC, Sabesan S, Baxi S, Aoun S, et al. Unmet supportive care needs among Indigenous cancer patients across Australia. *Rural Rem Health* 2019;**19**(3):1–11.
  86. Valery PC, Bernardes CM, Beesley V, Hawkes AL, Baade P, Garvey G. Unmet supportive care needs of Australian Aboriginal and Torres Strait Islanders with cancer: a prospective, longitudinal study. *Support Care Cancer* 2017;**25**(3):869–77.
  87. Laird P, Chang AB, Jacky J, Lane M, Schultz A, Walker R. Conducting decolonizing research and practice with Australian First Nations to close the health gap. *Health Res Pol Syst* 2021;**19**(1).
  88. Griffiths K, Diaz A, Whop LJ, Cunningham J. The health and wellbeing of indigenous and tribal peoples around the globe: ensuring and promoting best practice in research. *Int J Environ Res Publ Health* 2021;**19**(1):261.
  89. Maddox R, Drummond A, Kennedy M, Martinez SA, Waa A, Nez Henderson P, et al. Ethical publishing in 'Indigenous' contexts. *Tobac Control* 2023. tc-2022-057702.
  90. Mohamed J, Matthews V, Bainbridge R, Williams M. Who is speaking for us? Identifying Aboriginal and Torres Strait Islander scholarship in health research. *Med J Aust* 2021;**215**(8):383–e1.
  91. Talley NJ, Zuccala E, Geronimo F, Janusik T, Villanueva EV. Strengthening the presence of aboriginal and Torres Strait Islander voices in the medical journal of Australia. *Med J Aust* 2022;**217**(1):24–5.
  92. Lock MJ, McMillan F, Warne D, Bennett B, Kidd J, Williams N, et al. Indigenous cultural identity of research authors standard: research and reconciliation with indigenous peoples in rural health journals. *Rural Rem Health* 2022;**22**(3).

## Appendix A Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.anzjph.2024.100142>.